

# ANPING TAILONG

HARDWARE&WIRE MESH PRODUCTS CO.,LTD

**TLWY**<sup>®</sup>  
**TaiLong Fence**



*ANTI CLIMB WALL SPIKE*  
**BARBED WIRE**



Mobile:

+86-133-2318-6988  
+86-153-6985-6999



Email:

Sales@fence-global.com  
Sales@wiremesh-global.com



No.19, Jingsi road,  
high-tech-industrialdevelopment  
zone, Anping, Hebei, China



## Anti Climb Wall Spike

Wall Spike provides a simple yet highly effective solution to enhance the security of existing walls and fences. Compatible with various wall materials including brick, concrete, and wood, these anti-climb devices can be securely installed on virtually any solid surface. Once fixed, they form a durable and reliable deterrent that resists removal, significantly improving perimeter protection without the need for structural modifications.



Crafted from high-quality stainless steel or galvanized steel plate, Wall Spike offers excellent weather resistance and long-term durability. The product is available in multiple color options such as yellow, black, green, blue, and purple, allowing for both functional security and aesthetic consideration. This flexibility enables the spikes to serve as either a visible warning or a discreet protective measure according to specific security requirements.

Ideal for residential, commercial, and industrial applications, Wall Spike acts as a powerful psychological and physical barrier against unauthorized access. Its straightforward installation and low maintenance requirements make it a cost-effective security upgrade for properties of all types, providing immediate protection while maintaining the structural integrity of existing walls and fences.




## DESCRIPTION


Product Photo	Size	Material	Bottom Width (mm)	Length (mm)	Thickness (mm)	Spike length (mm)	Weight (kg)
	large1	HDG	50	1250	2mm	110/95	1.7
	large2	HDG	50	1250	1.7mm	110/95	1.45
	large3	304	50	1250	1.7mm	110/95	1.7
	large4	304	50	1250	2mm	110/95	1.45
	large5	PVC coated	50	1250	2mm	110/95	1.8
	large6	PVC coated	50	1250	1.7mm	110/95	1.55
	medium1	HDG	45	1250	2mm	95/35	0.82
	medium2	HDG	45	1250	1.7mm	95/35	0.72
	medium3	304	45	1250	2mm	95/35	0.82
	medium4	304	45	1250	1.7mm	95/35	0.72
	medium5	PVC coated	45	1250	2mm	95/35	0.92
	medium6	PVC coated	45	1250	1.7mm	95/35	0.82
	small	HDG	40	1250	0.38mm	65	0.38




## ANPING TAILONG

HARDWARE&WIRE MESH PRODUCTS CO.,LTD

 +86-133-2318-6988  
+86-153-6985-6999

 Sales@fence-global.com  
Sales@wiremesh-global.com

 No.19, Jingsi road,  
high-tech-industrialdevelopment  
zone, Anping, Hebei, China

 WHATSAPP

