

# ANPING TAILONG

HARDWARE&WIRE MESH PRODUCTS CO.,LTD

**TLWY<sup>®</sup>**  
**TaiLong Fence**



**ISOLATION WAREHOUSE FENCE**  
**MACHINE SAFETY FENCE**



Mobile:

+86-153-6985-6999  
+86-133-2318-6988



Email:

[Sales@fence-global.com](mailto:Sales@fence-global.com)



No.19, Jingsi road,  
high-tech-industrialdevelopment  
zone, Anping, Hebei, China





## Isolation Warehouse Fence

Isolation Warehouse Fence, also referred to as industrial safety fencing or workshop partition system, serves as a versatile and reliable solution for creating safe and organized spaces within industrial environments. Typically constructed using industrial aluminum profiles as the primary frame, these fences eliminate the need for expansion screws, enabling quick and non-intrusive installation. The framework is combined with various infill options such as wire mesh, transparent acrylic panels, or aluminum composite sheets, offering both visibility and durability. This modular design ensures that the fence can be tailored to meet specific functional and spatial requirements while maintaining a high level of stability and load-bearing capacity.







## DESCRIPTION

Customization is a key advantage of Isolation Warehouse Fence, with grid sizes and colors available to suit different application scenarios. Commonly used mesh configurations include 20×100, 30×30, 40×40, and 50×50, allowing users to balance transparency, ventilation, and safety. In addition, a range of color options—such as yellow, gray, and black—enables the fence to align with corporate branding or safety coding standards. This flexibility makes it an ideal choice for areas requiring machine guarding, workstation separation, or pedestrian pathway definition in warehouses, workshops, and automated production zones.


Widely applied in logistics centers, manufacturing plants, and robotic workcells, Isolation Warehouse Fence enhances operational safety without compromising accessibility or visual management. Its robust yet lightweight structure provides an effective barrier against unauthorized access or accidental contact with machinery, while still allowing supervisors and operators to maintain clear sightlines. Easy to assemble, reconfigure, and expand, this fencing

| Photo                                                                               | Name                | Specifications                                                                  |                                |              |
|-------------------------------------------------------------------------------------|---------------------|---------------------------------------------------------------------------------|--------------------------------|--------------|
|                                                                                     |                     | Panel Height                                                                    | Mesh                           | Panel Length |
|  | warehouse isolation | 1.03m                                                                           | 50*200mm,50*100mm,<br>75*150mm | Customized   |
|                                                                                     |                     | 1.23m                                                                           |                                |              |
|                                                                                     |                     | 1.43m                                                                           |                                |              |
|                                                                                     |                     | 1.63m                                                                           |                                |              |
|                                                                                     |                     | 1.83m                                                                           |                                |              |
|                                                                                     |                     | 2.03m                                                                           |                                |              |
|                                                                                     | Fence Post          | Square post : 40*60*1.2/1.5/2.0mm*2.0/2.2 m or<br>60*60*1.2/1.5/2.0mm*2.4/2.0m  |                                |              |
|                                                                                     |                     | Round post : 48*1.5mm*2.0m ; 48*2.0mm*2.2 m or<br>60*1.5mm*2.4 m; 60*2.0mm*2.5m |                                |              |
|                                                                                     |                     | Peach post : 70*100*1.0mm*2.5m or 70*100*1.2mm*2.5m                             |                                |              |




# CATEGORY


## Different Bases



Adjustable Baseplate




Ground Counterplate



Stabilizing Post Support Strut


## Different Doors




Folding Door



Hinged Door



Sliding Door



Sliding Door

## Modular Panels



Full Steel



Fully Welded



Mixed Panels



Transparent Sheet



Production Flow Chart



Raw Material



Welded Wire Mesh



Frame Fabrication




Surface Treatment



Power Coating




Quality Inspection



Finish

Package & Delivery




PACKAGE



DELIEVRY





## FEATURES & APPLICATION


### FEATURES

- Good protective property, small footprint, increased effective space, light transmittance, low requirement for auxiliary lighting.
- The structure is original and dignified with outstanding overall stability; All parts are highly effective against rust treatment and enjoy a long service life.
- It is easy to install and maintenance.

### APPLICATION




Enterprise Functional Area Division




Equipment And Hazardous Area Protection




Production Workshop



Warehouse



Laboratory



Packaging And Sorting Systems





**ANPING TAILONG**

HARDWARE&WIRE MESH PRODUCTS CO.,LTD



+86-153-6985-6999

+86-133-2318-6988



Sales@fence-global.com



No.19, Jingsi road,  
high-tech-industrialdevelopment  
zone, Anping, Hebei, China

WHATSAPP

